


C-STORE LIGHTING






4C/6C | 4 & 6 INCH CYLINDERS

- Compact or standard heights with direct or direct/indirect illumination
- Open, flush, and regressed lens trim options
- Cable, pendant, power cord, wall and surface mount



MX | 2 & 4 INCH AMBIENT

- Flat, glowing edge, drop and regressed lenses
- Suspended, recessed, wall and surface mount
- Fully illuminated 90° corners
- Specifiable to the inch



LRX 2, 3, 4 & 5 INCH LINEAR

- High-performance, seamless illumination at an unbeatable value
- Lift and shift lens for simple installation
- Grid or hardpan ceilings



4D/6D | 4 & 6 INCH DOWNLIGHTS

- IC-rated, new construction and remodel
- Vandal-resistant and non-conductive shower trims
- TrimLock® reflector retention system
- Beam angles range from 10° narrow to 65° wide



LT TROFFER

- 1x4, 2x2, and 2x4 sizes
- Diffuse lens provides smooth illumination
- Surface mount kit preserves continuity
- Available on QuickShip 🚚



W4CR/W6CR 4 & 6 INCH WET LOCATION CYLINDERS

- Sealed IP66-rated construction
- Compact or standard heights with direct or direct/indirect illumination
- TwistLock™ pendant, wall, and canopy mount



H.E. WILLIAMS, INC.

831 West Fairview Ave | Carthage, MO 64836

417-358-4065

hew.com

Rev.09/26/25